

Supplementary data for the article:

Pešić, M. B.; Milinčić, D. D.; Kostić, A.; Stanisavljević, N. S.; Vukotić, G. N.; Kojić, M. O.; Gašić, U. M.; Barać, M. B.; Stanojević, S. P.; Popović, D. A.; et al. In Vitro Digestion of Meat- and Cereal-Based Food Matrix Enriched with Grape Extracts: How Are Polyphenol Composition, Bioaccessibility and Antioxidant Activity Affected? *Food Chem.* **2019**, *284*, 28–44. <https://doi.org/10.1016/j.foodchem.2019.01.107>.

Supplementary material

***In vitro* digestion of meat- and cereal-based food matrix enriched with grape extracts: How are polyphenol composition, bioaccessibility and antioxidant activity affected?**

Mirjana B. Pešić^{1*}, Danijel D. Milinčić¹, Aleksandar Ž. Kostić¹, Nemanja S. Stanisavljević², Goran N. Vukotic², Milan O. Kojić², Uroš M. Gašić³, Miroslav B. Barać¹, Slađana P. Stanojević¹, Dušanka A. Popović¹, Nebojša R. Banjac¹, Živoslav Lj. Tešić³

¹University of Belgrade, Faculty of Agriculture, Department of Food Technology and Biochemistry, Nemanjina 6, 11081 Belgrade, Serbia

²University of Belgrade, Institute of Molecular Genetics and Genetic Engineering, P.O. Box 23, 11010 Belgrade, Serbia

³University of Belgrade, Faculty of Chemistry, P.O. Box 51, 11158, Belgrade, Serbia

Content

Table S1. List of phenolic compounds with correlation coefficients, limit of detections (LOD), limits of quantification (LOQ), as determined using LC/MS techniques.

Table S1. List of phenolic compounds with correlation coefficients, limit of detections (LOD), limits of quantification (LOQ), as determined using LC/MS techniques.

Nº	Phenolic compounds	R ²	LOD, µg/L	LOQ, µg/L
1	Gallic acid	0.9908	16.71	55.71
2	Protocatechuic acid	0.9993	6.05	20.17
3	Ellagic acid	0.9914	23.75	79.18
4	5-O-Caffeoylquinic acid	0.9982	9.61	32.02
5	Ferulic acid	0.9907	9.81	32.69
6	Caffeic acid	0.9939	17.48	58.27
7	p-Coumaric acid	0.9954	15.21	50.70
8	Rutin	0.9994	5.53	18.44
9	Quercetin	0.9976	11.70	39.01
10	Quercetin 3-O-galactoside	0.9986	8.39	27.97
11	Isorhamnetin	0.9963	11.42	38.08
12	Isorhamnetin 3-O-glucoside	0.9943	9.45	31.49
13	Kaempferol	0.9983	9.24	30.82
14	Catechin	0.9996	3.16	10.55
15	Malvidin 3,5-di-O-glucoside	0.9983	3.86	12.86
16	Peonidin 3-O-glucoside	0.9916	9.97	33.22
17	Malvidin 3-O-glucoside	0.9931	9.24	30.79
18	Aesculin	0.9999	1.80	6.01
19	Luteolin	0.9975	11.13	37.11
20	Genistein	0.9947	16.29	54.30
21	Phloretin	0.9987	8.04	26.78
22	Taxifolin	0.9959	14.33	47.75

23	Pterostilbene	0.9912	10.37	34.57
24	Eriodictyol	0.9958	14.48	48.26
