

Supplementary data for article:

Baroud, A. A.; Mihajlović-Lalić, L. E.; Gligorijević, N.; Arandžević, S.; Stanković, D.; Radulović, S.; Van Hecke, K.; Savić, A.; Grgurić-Šipka, S. Ruthenium(II) Bipyridine Complexes: From Synthesis and Crystal Structures to Electrochemical and Cytotoxicity Investigation. *Journal of Coordination Chemistry* **2017**, *70* (5), 831–847.

<https://doi.org/10.1080/00958972.2017.1282611>

SUPPLEMENTARY MATERIAL

Ruthenium(II) bipyridine complexes: From synthesis and crystal structures to electrochemical and cytotoxicity investigation

AFYA A. BAROUD[†], LJILJANA E. MIHAJLOVIĆ-LALIĆ[‡], NEVENKA GLIGORIJEVIĆ[§],
SANDRA ARANĐELOVIĆ[§], DALIBOR STANKOVIĆ[‡], SINIŠA RADULOVIĆ[§], KRISTOF
VAN HECKE[¶], ALEKSANDAR SAVIĆ^{*†}, SANJA GRGURIĆ-ŠIPKA^{*†}

[†] Faculty of Chemistry, University of Belgrade, Studentski trg 12-16, 11 000 Belgrade, Serbia

[‡] Innovation Center of the Faculty of Chemistry, University of Belgrade, Studentski trg 12-16, 11 000 Belgrade, Serbia

[§] Institute for Oncology and Radiology of Serbia, Pasterova 14, 11000 Belgrade, Serbia

[¶] XStruct, Department of Inorganic and Physical Chemistry, Ghent University, Krijgslaan 281-S3, B-9000 Ghent, Belgium

*Corresponding authors. sanjag@chem.bg.ac.rs; aleksandar@chem.bg.ac.rs;




Fig. S-1. IR spectrum of compound 1.





Fig. S-2. ^1H NMR spectrum of compound **1** recorded in DMSO.

OB3048 #1-55 RT: 0.01-0.50 AV: 55 NL: 1.83E7
T: FTMS + c ESI Full ms [150.00-2000.00]



Zoomed spectra

OB3048 #1-55 RT: 0.01-0.50 AV: 55 NL: 1.83E7
T: FTMS + c ESI Full ms [150.00-2000.00]




Fig. S-3. MS spectrum of compound 1.