

Supplementary data for the article:

Pavlović, A. V.; Papetti, A.; Zagorac, D. T. D.; Gašić, U. M.; Mišić, D. M.; Tešić, T. L.; Natić, M. M. Phenolics Composition of Leaf Extracts of Raspberry and Blackberry Cultivars Grown in Serbia. *Industrial Crops and Products* **2016**, *87*, 304–314.  
<https://doi.org/10.1016/j.indcrop.2016.04.052>

**Phenolics Composition of Leaf Extracts of Raspberry and Blackberry Cultivars Grown in  
Serbia**

Aleksandra V. Pavlović<sup>a</sup>, Adele Papetti<sup>b</sup>, Dragana Č. Dabić Zagorac<sup>c</sup>, Uroš M. Gašić<sup>a</sup>, Danijela  
M. Mišić<sup>d</sup>, Živoslav Lj. Tešić<sup>a</sup>, Maja M. Natić<sup>a,\*</sup>

<sup>a</sup>Faculty of Chemistry, University of Belgrade, P. O. Box 51, 11158 Belgrade, Serbia

<sup>b</sup>Department of Drug Sciences, University of Pavia, Viale Taramelli 12, 27100 Pavia, Italy

<sup>c</sup>Innovation Center, Faculty of Chemistry Ltd, University of Belgrade, Studentski trg 12-16,  
11000 Belgrade, Serbia

<sup>d</sup>Institute for Biological Research “Siniša Stanković”, University of Belgrade, Bulevar Despota  
Stefana 142 11060 Belgrade, Serbia

\*Corresponding author: Maja M. Natić

Faculty of Chemistry, University of Belgrade

E-mail: [mnatic@gmail.com](mailto:mnatic@gmail.com)

Address: Studentski trg 12-16, 11158 Belgrade, Serbia

Tel: +381113336730

**Table S1**

Correlations among TPC, DPPH, MCA, RP, and SAS

	<b>TPC</b>	<b>DPPH-SA</b>	<b>MCA</b>	<b>RP</b>	<b>SAS</b>
<b>TPC</b>	1				
<b>DPPH-SA</b>	0.856	1			
<b>MCA</b>	0.418	0.789	1		
<b>RP</b>	-0.046	-0.018	-0.344	1	
<b>SAS</b>	<b>0.991*</b>	0.781	0.320	-0.092	1

\*P &lt; 0.01