

Supplementary material for the article:

Stefanović, V.; Trifković, J.; Djurdjić, S.; Vukojević, V.; Tešić, Ž.; Mutić, J. Study of Silver, Selenium and Arsenic Concentration in Wild Edible Mushroom Macrolepiota Procera, Health Benefit and Risk. *Environmental Science and Pollution Research* **2016**, *23* (21), 22084–22098. <https://doi.org/10.1007/s11356-016-7450-2>

Supplementary data

Study of silver, selenium and arsenic concentration in wild edible mushroom *Macrolepiota procera*, benefit and health risk

Violeta Stefanović¹, Jelena Trifković², Sladjana Djurdjić², Vesna Vukojević², Jelena Mutić^{2*}, Živoslav Tešić²

¹ Institute of Public Health Kruševac, Vojvode Putnika 2, 37000 Kruševac, Serbia

² Faculty of Chemistry, University of Belgrade, Studentski trg 12-16, 11158 Belgrade, Serbia

Content

Table A. Instrument operating conditions

Table B. Results of determination of elements in certified reference material ERM-CD281 (rye grass)

Table C. Recovery test for determination of Ag in mushroom samples.

Table D. Results of determination of elements in reference material SPE001 (metal in soil-PT)

Table E. Parameters (*P*) of Mann-Whitney U-test - median difference between the pairs

Table A. Instrument operating conditions

| ICP OES | iCAP 6500 | ICP MS | iCAP Q MS |
|-----------------------------------|--|-------------------|-------------------|
| Rf power (W) | 1150 | Rf power (W) | 1548 |
| Nebulizer | Concentric | Gas flows (L/min) | 13.9: 1.09; 0.8 |
| Spray chamber | Cyclonic | Acquisition time | 3 x 50 s |
| Principal argon flow rate (L/min) | 12 | Points per peak | 3 |
| Auxiliary argon flow rate (L/min) | 0.5 | Dwell time (ns) | 10 |
| Nebulizer flow rate (L/min) | 0.5 | Detector mode | Pulse |
| Sample flow rate (ml/min) | 1.0 | Replicates | 3 |
| Selected wavelenghts (nm) | Ca (373.6), Mg (279.5), Na (589.5), K (766.4) | Measured isotope | 75As, 78Se, 108Ag |

Table B. Results of determination of elements in reference material ERM-CD281 (rye grass)

| Element | ERM-CD281 (rye grass) | |
|---------------------------------|--|-----------------------------------|
| | Certified value ± uncertainty* (mg/kg) | Found value ± uncertainty (mg/kg) |
| As | 0.042 ± 0.010 | 0.040 ± 0.005 |
| Se | 0.023 ± 0.004 | 0.025 ± 0.002 |
| Additional material information | | |
| | Value (g/kg) | Found value |
| Ca | 6.3 | 6.298 |
| K | 34 | 34.02 |
| Mg | 1.6 | 1.601 |
| Na | 4.0 | 4.010 |

*Uncertainty for 95 % confidence level

Table C. Recovery test for determination of Ag in mushroom samples.

| In sample µg/L | Added (µg/L) | Found (µg/L) | Recovery (%) |
|-------------------|--------------|--------------|--------------|
| 3.828 | 5.0 | 8.863 | 100.4 |
| 3.828 | 10.0 | 13.800 | 99.8 |

Table D. Results of determination of elements in certified reference material SPE001 (metal in soil-PT)

| Element | SPE001 (metal in soil) | |
|---------|--|-----------------------------------|
| | Certified value ± uncertainty* (mg/kg) | Found value ± uncertainty (mg/kg) |
| As | 201 ± 1.03 | 198 ± 0.45 |
| Ca | 2010 ± 10.2 | 2015 ± 9 |
| Mg | 4000 ± 20.4 | 4012 ± 19 |
| K | 1800 ± 8.14 | 1790 ± 12 |
| Ag | 51.2 ± 0.261 | 51.24 ± 0.03 |
| Na | 822 ± 3.17 | 818 ± 10 |
| Se | 72.4 ± 0.369 | 72.1 ± 0.11 |

*Uncertainty for 95 % confidence level

Table E. Mann-Whitney U-test - median difference between the metal content in mushroom and corresponding soil samples.

| Variable | S1 | S2 | S3 | S4 | S5 |
|----------|---------------------------------|---------------|---------------|---------------|---------|
| | Significance level (<i>P</i>) | | | | |
| Ag | 0.0090 | 0.0209 | 0.0194 | 0.0039 | <0.0001 |
| As | 0.0090 | 0.0209 | 0.0194 | 0.0039 | <0.0001 |
| Se | 0.0283 | 0.5637 | 0.0194 | 0.0039 | <0.0001 |
| Ca | 0.0090 | 0.0209 | 0.0194 | 0.0039 | <0.0001 |
| Mg | 0.0090 | 0.0209 | 0.0194 | 0.0039 | <0.0001 |
| K | 0.0090 | 0.0209 | 0.0194 | 0.0039 | <0.0001 |
| Na | 0.4647 | 0.0209 | 0.0796 | 0.3367 | 0.4810 |