

Supplementary data for the article:

Ristivojević, P.; Dimkić, I.; Guzelmeric, E.; Trifković, J.; Knežević, M.; Berić, T.; Yesilada, E.; Milojković-Opsenica, D.; Stanković, S. Profiling of Turkish Propolis Subtypes: Comparative Evaluation of Their Phytochemical Compositions, Antioxidant and Antimicrobial Activities. *LWT* 2018, 95, 367–379.  
<https://doi.org/10.1016/j.lwt.2018.04.063>

## **Supplementary material**

# **Profiling of Turkish propolis subtypes: comparative evaluation of their phytochemical compositions, antioxidant and antimicrobial activities**

Petar Ristivojević<sup>1,2¶\*</sup>, Ivica Dimkić<sup>3¶\*</sup>, Etil Guzelmeric<sup>4</sup>, Jelena Trifkovic<sup>5</sup>, Magdalena Knežević<sup>6</sup>, Tanja Berić<sup>3</sup>, Erdem Yesilada<sup>4</sup>, Dušanka Milojković-Opsenica<sup>5</sup>, Slaviša Stanković<sup>3</sup>

<sup>1</sup>University of Belgrade - Innovation Centre of the Faculty of Chemistry Ltd., Studentski trg 12-16, 11000 Belgrade, Serbia

<sup>2</sup>Ghent University Global Campus, Incheon, South Korea

<sup>3</sup>University of Belgrade - Faculty of Biology, Studentski trg 16, 11000 Belgrade, Serbia

<sup>4</sup>Yeditepe University - Faculty of Pharmacy, Department of Pharmacognosy and Phytotherapy,

Kayisdagi Cad., Atasehir, 34755, Istanbul, Turkey

<sup>5</sup>University of Belgrade - Faculty of Chemistry, P.O. Box 51, 11158 Belgrade, Serbia

<sup>6</sup>Institute of Soil Science, Teodora Dražera 7, 11000 Belgrade, Serbia

¶These authors contributed equally to this work.

\*Corresponding author:

**Ivica Dimkić, PhD**

Research associate

University of Belgrade - Faculty of Biology,

Studentski trg 16, 11000 Belgrade, Serbia

E-mail: [ivicad@bio.bg.ac.rs](mailto:ivicad@bio.bg.ac.rs)

**Petar Ristivojević, PhD**

Research associate

University of Belgrade - Innovation Centre of the Faculty of Chemistry Ltd.,

Studentski trg 12-16, 11000 Belgrade, Serbia

E-mail: [ristivojevic@chem.bg.ac.rs](mailto:ristivojevic@chem.bg.ac.rs)

## List of figures


**Fig. S1.** Propolis samples collected from different regions of Turkey

**Fig. S2.** RSA values of Turkish propolis samples


**Fig. S3.** The calibration growth curves for: *C. albicans* (A), *S. mutans* (B), *S. pyogenes* (C) and *S. sanguinis* (D). On the right ordinate, optical density values measured at time interval of 8 hours up to the monitored time are displayed. The left ordinate represents the logarithmic values of CFU/mL.



**Fig. S1.** Propolis samples collected from different regions of Turkey



**Fig. S2.** RSA values of Turkish propolis samples



**Fig. S3.** The calibration growth curves for: *C. albicans* (A), *S. mutans* (B), *S. pyogenes* (C) and *S. sanguinis* (D). On the right ordinate, optical density values measured at time interval of 8 hours up to the monitored time are displayed. The left ordinate represents the logarithmic values of CFU/mL.