

Supplementary data for article:

Đurđić, S. Z.; Sredojević, M.; Trifković, J.; Vukojević, V.; Natić, M.; Tešić, Ž. L.; Mutić, J. Elemental Composition as a Tool for the Assessment of Type, Seasonal Variability, and Geographical Origin of Wine and Its Contribution to Daily Elemental Intake. *RSC Advances* **2017**, 7 (4), 2151–2162.

<https://doi.org/10.1039/c6ra25105f>

Supplementary information

Elemental composition as a tool for the assessment of type, seasonal variability, and geographical origin of wine and its contribution to daily elemental intake

Sladana Đurđić^a, Milica Pantelić^b, Jelena Trifković^a, Vesna Vukojević^a, Maja Natić^a, Živoslav Tešić^a and Jelena Mutić^{a,c*}

^aUniversity of Belgrade - Faculty of Chemistry, P.O. Box 51, 11158 Belgrade, Serbia

^bInnovation Centre of Faculty of Chemistry Ltd, Studentski trg 12-16, 11000, Belgrade, Serbia

^cGhent University Global Campus, Incheon, South Korea

*Corresponding author (jmutic@chem.bg.ac.rs, tel/fax: +38113336745)

Content

Table S1. Region, vineyard, winery, wine sample and year of production

Table S2. Instrument operating conditions for ICP-OES and ICP-Q-MS

Table S3. Concentration of major and trace metals in wines from different viticulture countries

Table S4. Pearson's correlation coefficients between elements in white wines.

Table S5. Pearson's correlation coefficients between elements in red wines.

Table S6. Statistical parameters of PCA models

Table S1. Region, vineyard, winery, wine sample and year of production

Region	Wine region	Winery	Wine sample	Year of production
Belgrade	Smederevo	Radmilovac	Burgundac crni A	2012
		Radmilovac	Burgundac crni B	2012
		Radmilovac	Burgundac sivi	2012
		Radmilovac	Burgundac	2013
		Radmilovac	Burgundac	2014
		Radmilovac	Cabernet Franc	2012
		Radmilovac	Cabernet Franc-standard	2013
		Radmilovac	Cabernet Franc-02*	2013
		Radmilovac	Cabernet Franc-010*	2013
		Radmilovac	Cabernet Franc-012*	2013
		Radmilovac	Cabernet Franc	2013
		Radmilovac	Cabernet Franc	2014
		Radmilovac	Cabernet Sauvignon	2012
		Radmilovac	Cabernet Sauvignon	2013
		Radmilovac	Cabernet Sauvignon	2014
		Radmilovac	Chardonnay ^w	2012
		Radmilovac	Chardonnay ^w	2013
		Radmilovac	Chardonnay ^w	2014
		Radmilovac	Merlot	2012
		Radmilovac	Merlot-standard	2013
		Radmilovac	Merlot-022*	2013
		Radmilovac	Merlot-025*	2013
		Radmilovac	Merlot-029*	2013
		Radmilovac	Merlot	2013
		Radmilovac	Merlot	2014
		Radmilovac	Petra ^w	2012
		Radmilovac	Prokupac	2012
		Radmilovac	Riesling Italijanski ^w	2012
		Radmilovac	Riesling Italijanski ^w	2013
		Radmilovac	Riesling Rajnski ^w	2012
		Radmilovac	Riesling Rajnski ^w	2013
		Radmilovac	Riesling Rajnski ^w	2014
		Radmilovac	Sangiovese	2012
		Radmilovac	Sauvignon Blanc ^w	2012
Radmilovac	Sauvignon Blanc ^w	2013		
Radmilovac	Sauvignon Blanc ^w	2014		
Radmilovac	Smederevka ^w	2014		
Radmilovac	Shiraz	2012		
Central	Topola	Radovanović	Cabernet Sauvignon	2010
	Topola	Radovanović	Cabernet Sauvignon	2011

Serbia	Negotin	Dajić	Cabernet Sauvignon	2009
	Negotin	Tanica pimnice	Cabernet Sauvignon	2011
	Negotin	Dajić	Game	2009
	Župa	Rubin	Merlot-Tarra Lazarica	2009
	Župa	Vino Budimir	Prokupac-Triada	2006
	Župa	Vino Budimir	Tamjanika	2014
	Župa	Radmilovac	Plovdina	2014
	Knjaževac	Jović	Vranac Potkranjski	2009
Vojvodina	Palić	Čoka	Cabernet Sauvignon-Lederer	2010
	Palić	Čoka	Cabernet Sauvignon	2011
	Palić	Čoka	Merlot-Lederer	2010
	Palić	Čoka	Merlot	2011
	Vršac	Radmilovac	Merlot	2014
	Fruška gora	Radmilovac	Prokupac sremski	2014
South Serbia	Prokuplje	Stari dani	Cabernet Sauvignon	2009
	Prokuplje	Stari dani	Cabernet Sauvignon	2014
	Prokuplje	Petrović	Carsko crveno	2011
	Prokuplje	Petrović	Cabernet Sauvignon	2012
	Prokuplje	Petrović	Cabernet Sauvignon	2011
	Prokuplje	Petrović	Prokupac	2011
	Prokuplje	Radmilovac	Crna Tamjanika	2014
	Prokuplje	Stari dani	Prokupac	2014
	Prokuplje	Stari dani	Vranac	2014

^w White wines, all other are red wines

* Clones: Merlot namely No 022, 025 and 029 and Cabernet Franc No 02, 010 and 012

Table S2. Instrument operating conditions for ICP-OES and ICP-Q-MS

ICP- OES	
Nebulizer	Concentric
Spray chamber	Cyclonic
Rf power (W)	1150
Principal argon flow rate (L/min)	12
Auxiliary argon flow rate (L/min)	0.5
Nebulizer argon flow rate (L/min)	0.5
Sample flow rate (mL/min)	1.0
Selected wavelengths (nm)	Fe (259.9); Na (589.5); Ca (373.6); Mg (279.5); K (766.4); Rb (780.0)
Detection limits (µg/L)	Fe (0.2); Na (0.2); Ca (0.3); Mg (0.2); K (0.4); Rb (0.1)
ICP- OES (hydride generation)	
Reductor	0.1% NaBH ₄ in 0.5% NaOH
Acid	8.0 mol/dm ³ HCl
Carrier flow rate (L/min)	0.4
Rf power (W)	1150
Wavelengths (nm) of As	189.0
Detection limits (µg/L)	0.05
ICP-Q-MS	
Rf power (W)	1548
Gas flows (L/min)	13.9;1.09;0.8
Acquisition time	3 x 50s
Points per peak	3
Dwell time (ns)	10
Detector mode	Pulse
Measured isotopes (normal mode)	⁹ Be, ²⁷ Al, ⁵¹ V, ⁵⁹ Co, ⁶⁰ Ni, ⁶⁶ Zn, ¹¹¹ Cd, ¹²¹ Sb, ¹³⁷ Ba, ²⁰⁸ Pb
Measured isotopes (collision cell mode)	⁵² Cr, ⁵⁵ Mn, ⁷⁸ Se
Detection limits (µg/L)	Be (0.1), Al (2.0), V (0.02), Co (0.02), Ni (0.3), Zn (0.4), Cd (0.05), Sb (0.08), Ba (0.02), Pb (0.1), Cr (0.3), Mn (0.4), Se (0.2)

Table S4. Pearson's correlation coefficients (r) between elements in white wines

	As	Ba	Be	Cd	Co	Cr	Ni	Pb	Sb	Se	V	Al	Mn	Zn	Cu	Ca	Fe	K	Mg	Na	Rb	
As	1.000																					
Ba	-0.671	1.000																				
Be	-0.110	0.230	1.000																			
Cd	0.113	-0.427	-0.040	1.000																		
Co	0.271	-0.359	-0.221	-0.266	1.000																	
Cr	0.409	-0.290	-0.093	0.332	0.074	1.000																
Ni	-0.052	-0.350	0.180	0.417	-0.199	0.294	1.000															
Pb	0.444	-0.414	0.140	0.607	-0.286	0.335	0.313	1.000														
Sb	-0.100	-0.005	0.209	-0.201	0.047	0.218	0.309	-0.043	1.000													
Se	-0.009	0.114	0.021	-0.066	-0.090	0.076	0.018	0.268	-0.092	1.000												
V	-0.315	0.620	0.288	-0.055	-0.394	0.082	-0.215	-0.233	-0.308	-0.181	1.000											
Al	-0.013	0.162	0.633	0.288	-0.619	-0.214	-0.043	0.144	-0.219	-0.109	0.422	1.000										
Mn	0.251	-0.184	-0.256	0.233	-0.258	0.237	-0.359	0.150	0.185	-0.126	-0.072	0.221	1.000									
Zn	0.377	-0.293	0.075	0.414	-0.221	0.326	0.207	0.918	-0.079	0.292	-0.105	0.000	0.084	1.000								
Cu	0.300	-0.344	0.007	0.392	-0.268	0.198	0.338	0.882	-0.050	0.460	-0.297	-0.057	0.041	0.925	1.000							
Ca	0.299	-0.340	-0.127	0.463	-0.607	0.148	0.054	0.522	-0.003	0.033	-0.126	0.394	0.740	0.382	0.447	1.000						
Fe	0.002	-0.005	-0.131	0.406	-0.479	0.053	-0.174	0.199	0.038	-0.326	0.349	0.365	0.687	0.169	0.081	0.639	1.000					
K	-0.040	0.476	0.288	-0.369	-0.082	-0.111	-0.293	-0.033	0.137	0.392	0.195	0.118	-0.025	0.092	0.094	-0.258	-0.021	1.000				
Mg	0.247	-0.444	-0.473	0.140	-0.052	0.463	0.136	0.266	0.274	-0.153	-0.243	-0.374	0.470	0.283	0.258	0.508	0.348	-0.438	1.000			
Na	-0.647	0.562	0.239	0.043	-0.341	-0.024	0.321	-0.187	0.055	-0.314	0.610	0.075	-0.471	-0.123	-0.228	-0.336	0.053	-0.132	-0.136	1.000		
Rb	-0.253	0.107	-0.370	0.027	0.159	0.176	0.092	-0.020	0.139	0.196	-0.037	-0.550	-0.201	-0.048	-0.035	-0.218	0.024	-0.081	0.365	0.268	1.000	

Correlation is significant at 99% confidence level ($r_{\text{critical}} = 0.560$, $n = 17$)

Table S5. Pearson's correlation coefficients (*r*) between elements in red wines

	As	Ba	Be	Cd	Co	Cr	Ni	Pb	Sb	Se	V	Al	Mn	Zn	Cu	Ca	Fe	K	Mg	Na	Rb	
As	1.000																					
Ba	-0.469	1.000																				
Be	-0.191	0.622	1.000																			
Cd	0.091	-0.014	0.073	1.000																		
Co	-0.002	0.181	0.195	0.175	1.000																	
Cr	-0.578	0.546	0.568	0.074	0.104	1.000																
Ni	-0.429	0.705	0.503	-0.002	0.196	0.421	1.000															
Pb	-0.030	0.022	0.104	0.753	0.339	0.092	0.135	1.000														
Sb	-0.116	0.053	0.015	-0.019	0.239	0.171	0.110	0.042	1.000													
Se	0.430	-0.237	-0.242	0.026	0.028	-0.412	-0.149	-0.104	-0.202	1.000												
V	-0.131	0.308	0.641	0.004	0.090	0.452	0.070	0.098	-0.057	-0.156	1.000											
Al	-0.240	0.327	0.531	-0.072	0.082	0.503	0.258	-0.021	0.187	-0.192	0.425	1.000										
Mn	-0.441	0.752	0.443	0.021	0.246	0.475	0.511	0.056	-0.019	-0.377	0.334	0.261	1.000									
Zn	-0.052	0.072	0.085	-0.178	0.047	0.140	0.225	0.193	0.238	-0.053	-0.032	0.259	-0.123	1.000								
Cu	-0.127	0.024	0.020	-0.011	0.223	0.046	0.282	0.546	0.210	-0.065	0.017	0.134	-0.060	0.624	1.000							
Ca	0.444	-0.076	-0.008	0.121	0.071	-0.322	-0.171	0.095	-0.051	0.347	0.024	0.047	-0.119	0.299	0.090	1.000						
Fe	0.170	-0.252	0.046	0.098	-0.183	-0.022	-0.234	0.035	0.054	-0.052	0.219	0.084	-0.060	0.213	-0.026	0.254	1.000					
K	-0.273	0.205	0.125	-0.044	-0.119	0.063	0.144	-0.191	-0.202	0.254	0.055	-0.009	0.096	-0.337	-0.268	-0.007	-0.247	1.000				
Mg	0.135	-0.038	0.041	0.117	0.073	0.042	-0.011	0.160	0.258	-0.228	0.012	0.332	0.193	0.463	0.179	0.314	0.326	-0.496	1.000			
Na	-0.399	0.520	0.360	0.008	0.035	0.440	0.289	0.077	-0.057	-0.292	0.412	0.375	0.700	-0.011	-0.005	-0.190	0.141	0.035	0.189	1.000		
Rb	-0.087	-0.080	-0.034	0.253	0.140	0.048	-0.027	0.109	0.100	0.124	-0.162	0.027	-0.125	-0.063	-0.161	0.041	-0.156	0.251	0.144	-0.222	1.000	

Correlation is significant at 99% confidence level ($r_{\text{critical}} = 0.376$, $n = 46$)

Table S6. Statistical parameters of PCA models

		PC1	PC2	PC3	PC4	PC5	PC6	PC7
Wine type	Eigenvalues	5.14	3.20	2.32	1.64	1.38	1.21	1.09
	Variance (%)	24.48	15.24	11.07	7.79	6.56	5.76	5.19
Seasonal variability	Eigenvalues	4.57	3.20	2.70	2.14	1.60	1.29	1.10
	Variance (%)	21.77	15.21	12.86	10.19	7.60	6.14	5.22
Regional origin	Eigenvalues	5.39	3.01	2.37	2.05	1.96	1.50	1.15
	Variance (%)	25.68	14.33	11.27	9.75	9.31	7.17	5.42