



Supplementary material for the article:

Glamočlija, U.; Padhye, S.; Špirtović-Halilović, S.; Osmanović, A.; Veljović, E.; Roca, S.; Novaković, I.; Mandić, B.; Turel, I.; Kljun, J.; et al. Synthesis, Biological Evaluation and Docking Studies of Benzoxazoles Derived from Thymoquinone. *Molecules* **2018**, *23* (12).


<https://doi.org/10.3390/molecules23123297>




ESI-MS (m/z) spectra for compound **ATQ**: 180.10 [M + H]⁺




ESI-MS (m/z) spectra for compound **1a**: 268.13 [M + H]⁺




ESI-MS (m/z) spectra for compound **1b**: 284.1 [M + H]⁺




ESI-MS (m/z) spectra for compound **1c**: 334.14 [M + H]⁺




ESI-MS (m/z) spectra for compound **1d**: 346.0 [M + H]⁺




ESI-MS (m/z) spectra for compound **1e**: 302.09 [M + H]⁺




ESI-MS (m/z) spectra for compound **1f**: 286.12 [M + H]⁺




ESI-MS (m/z) spectra for compound **1g**: 313.12 [M + H]⁺



ESI-MS (m/z) spectra for compound **1h**: 298.14 [M + H]⁺



ESI-MS (m/z) spectra for compound **1i**: 314.14 [M + H]⁺



ESI-MS (m/z) spectra for compound **1j**: 274.09 [M + H]⁺