

### Supplementary data for the article:

Burazer, N.; Šajnović, A.; Kašanin-Grubin, M.; Radisavljević, M.; Jovančičević, B. Polycyclic Aromatic Hydrocarbons and Their Relationship to Maturity and Paleoenvironmental Settings in Lacustrine Sediments of the Neogene Toplica Basin, Serbia. *Journal of Paleolimnology* **2021**, *66* (3), 187–205. <https://doi.org/10.1007/s10933-021-00199-5>.

**Polycyclic aromatic hydrocarbons and their relationship to maturity and paleoenvironmental settings in lacustrine sediments of the Neogene Toplica Basin, Serbia**

**Journal of Paleolimnology**

Nikola Burazer<sup>a\*</sup>, Aleksandra Šajnović<sup>b</sup>, Milica Kašanin-Grubin<sup>b</sup>, Marija Radisavljević<sup>c</sup>,


Branimir Jovančičević<sup>a</sup>

<sup>a</sup> *University of Belgrade, Institute of Chemistry, Technology, and Metallurgy, Department of Chemistry, Njegoševa 12, 11000 Belgrade, Serbia*

<sup>b</sup> *University of Belgrade, Center of Chemistry, IChTM, Studentski trg 12-16, 11000 Belgrade, Serbia*

<sup>c</sup> *University of Belgrade, Faculty of Mining and Geology, Đušina 7, 11000 Belgrade, Serbia*

\*Corresponding author, *e-mail: nikola.burazer@gmail.com*



**ESM1** (Structures of substituted and unsubstituted PAHs, from which relative abundance the parameters in Tables 1, 2 were calculated)